

Compact Optical Imager for Real-time, 3-D Range, Intensity and Fluorescence Mapping of the Ocean Floor

Eric Kaltenbacher
Center For Ocean Technology
University of South Florida
140 Seventh Ave. South
St. Petersburg, FL 33701
phone (727) 553-3959 fax (727) 553-3967 email eak@marine.usf.edu

David Costello
College of Marine Science
University of South Florida
140 Seventh Ave. South
St. Petersburg, FL 33701
phone (727) 553-3952 fax (727) 553-3918 email dkc@monty.marine.usf.edu

Dr. Kendall Carder
College of Marine Science
University of South Florida
140 Seventh Ave. South
St. Petersburg, FL 33701
phone (727) 553-3952 fax (727) 553-3918 email kcarder@monty.marine.usf.edu

Grant #: N00014-01-1-0279

LONG-TERM GOALS

Our research is directed toward development of an automated sensor for capturing 3-D images of man-made and natural objects in aqueous environments. We strive to construct a compact instrument capable of real-time imaging and classification of imaged objects using state-of-the-art optoelectronic technology. We expect that this work will have relevance to the in-water investigation and surveillance needs of branches of the U.S. Military, U.S. Intelligence agencies, as well as state and local law-enforcement agencies.

OBJECTIVES

Our Real-time Ocean Bottom Optical Topographer (ROBOT) prototype demonstrated the feasibility of our technical approach. The objectives of the current work include development of an embedded real-time image-processing system and further development of optical models describing ambient light conditions and laser-beam attenuation to determine operating conditions suitable for ROBOT.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2006		2. REPORT TYPE		3. DATES COVERED 00-00-2006 to 00-00-2006	
4. TITLE AND SUBTITLE Compact Optical Imager for Real-time, 3-D Range, Intensity and Fluorescence Mapping of the Ocean Floor				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of South Florida,Center For Ocean Technology,140 Seventh Ave. South,St. Petersburg,FL,33701				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 7	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

APPROACH

The operating principle behind our optical 3-D imager is triangulation and has proven to be effective for generating accurate 3-D images (Kaltenbacher et al., 2000). We will utilize digital signal processor (DSP) integrated circuits to implement our embedded version of this instrument. This approach facilitates a compact low-power design without the overhead of standard computer hardware and operating systems. In the current system, the major components are packaged in separate pressure vessels. A single (albeit more complex) vessel will be used to repackage the system to fit smaller AUVs. By utilizing environmental and vehicle data we endeavor to construct a robust sensor system with predictable operational characteristics. Monte Carlo analyses will be used to quantify scattering effects in the water to predict sensor performance in varied environments. Global positioning data from GPS receivers will be used concurrently with acoustic local tracking to geodetically reference the sensor's position enabling precise target location and image mosaics information from individual scans.

Key personnel: E. Kaltenbacher (Lead Engineer), J. Patten (Software Engineer), D. Costello (Ocean Optics Researcher), K. Carder (Lead Scientist) and Center for Ocean Technology (COT) Engineers and Technicians.

WORK COMPLETED

As our funding for this year became active in early August, our project is just beginning. We have, however, completed the following items. We have completed the fabrication, testing and debugging of the DSP-based image processor started under previous year's funding. These electronics constitute a major developmental effort with significant advantages over the prototype system. First, the power consumption is roughly 25% of the prior version. As vehicles and payloads become smaller, this will enable the use of smaller batteries without sacrificing mission run times. The physical size of these electronics is also considerably smaller, providing the means to fit the sensor in the new smaller AUVs.

We have identified potential sources of hardware from which to base the design of the custom camera. Burle manufactures a compact self-contained intensifier with the requisite resolution for our application. A CMOS image sensor made by Kodak offers the flexibility for frame rates and image size needed for this project. We are currently finalizing the research into these items and expect to make purchase in the next few weeks.

Work over the remainder of the project is summarized below.

1. Expand current DSP electronics with data storage and peripheral interfaces.
2. Develop highly-sensitive and flexible camera.
3. Develop custom line generating and imaging optics.
4. Package the system for deployments in compact AUVs and ROVs.
5. Expand and refine optical models describing ambient light fields.

RESULTS

The first version of the DSP-based, image-processing electronics is shown in Figure 1. The circuit board is shown temporarily mounted in a plastic case for protection during testing and development of additional features. The initial version of the DSP-board operates at 700 Mhz, offering several hundred operations/pixel at 30 frames/sec.



Figure 1: A photo of the circuit board mounted temporarily in a plastic case for protection. [The circuit board measures roughly 5x7 inches and is mounted in a plastic case measuring 6x8x 4 inches. The circuit board is densely populated with several hundred surface mount components].

IMPACT/APPLICATIONS

The ROBOT instrument presented in this work can be used to accurately provide 3-D images in a variety of conditions. Applications of this sensor include object detection (e.g. mines, coral), contour mapping (e.g. sand waves), crash site investigations, and port security (hull inspection, sea wall mapping). ROBOT data can also be used in shallow coastal waters to ground-truth remote sensing data (Carder et al. 2003). Our instrument is simple, portable, relatively inexpensive and suitable for use on a wide variety of platforms.

TRANSITIONS

The technology development in this work can be extended to analysis of terrestrial areas considered too dangerous for human investigation. This instrument can analyze debris and other aspects of crime scenes or other hazardous areas. Local law enforcement agencies have expressed interest in utilizing ROBOT for in-water forensics. ROBOT forms the basis for a project with the U.S. Coast Guard and Navy utilizing ROBOT for port security by scanning ships' hulls and seawalls.

RELATED PROJECTS

Development efforts on navigation and AUV control were funded under ONR #N00014-02-1-0267 "Autonomous Ship Detection System". Studies in modeling and measuring seawater optical properties were funded by ONR #N000140-02-1-0211 "Optical Variability and Bottom Classification in Turbid Waters: Phase II" and #N00014-03-1-0177 "Distribution of our CoBOP Results: IOPs and Albedo Spectra for Incorporation into Radiative Transfer Models." Ambient light condition modeling was funding by ONR #N00014-03-1-0625 "A Hybrid Modular Optical Model To Predict 2-D and 3-D Environments in Ports and Beneath Ship Hulls for AUV Sensor-Performance Optimization in MCM Activities."

REFERENCES

Cannizzaro, J.P., K.L. Carder, F.R. Chen, J.J. Walsh, Z.P. Lee, and C.A. Heil, 2004. A novel optical classification technique for detection of red tides in the Gulf of Mexico, 2004. In: *Harmful Algae 2002*, Steidinger et al., eds., Florida Marine Research Institute, Florida Institute of Oceanography, UNESCO, St. Petersburg, FL, pp. 282-284. [published, refereed].

Cannizzaro, J.P., K.L. Carder, F.R. Chen, C.A. Heil, and G.A. Vargo, 2005. A novel technique for detection of the toxic dinoflagellate, *Karenia brevis*, in the Gulf of Mexico from remotely sensed ocean color data, *Cont. Shelf Res.*[accepted, refereed].

Cannizzaro, J.P., K.L. Carder, Z.P. Lee, Ocean color algorithms for optically shallow waters: limitations and improvements, submitted, *Remote Sens. Environ.* [submitted, refereed]

Cannizzaro, J.P., Carder, K.L. 2005. Estimating chlorophyll *a* concentrations from remote-sensing reflectance data in optically shallow waters. *Remote Sens. Environ.* [submitted, refereed]

- Cannizzaro, J. P., K. L. Carder, F. R. Chen, J. J. Walsh, Z. Lee, and C. A. Heil. 2004. A Novel Classification Technique for Detection Of Red Tide Blooms in the Gulf of Mexico. [In: Steidinger et al., eds.], *Harmful Algae 2002, Proceedings, Xth International Conference on Harmful Algae*, pp 282-287. [published, refereed].
- Carder, K.L., Walsh, J.J., Cannizzaro, J.P. 2005. Hunting red tides from space in *Our changing Planets*, Cambridge University Press, in prep.
- Carder, K.L., Chen, F.R., Cannizzaro, J.P., Campbell, J.W., Mitchell, B.G. 2004. Performance of the MODIS semi-analytical ocean color algorithm for chlorophyll-*a*. *Advances in Space Research*, 33, 1152-1159. [published, refereed].
- English, D.C., and K.L. Carder. 2005. Determining bottom reflectance and water optical properties using unmanned underwater vehicles under clear or cloudy skies, *J. Atmos. and Oceanic Tech.*, [accepted with revisions, refereed].
- Hu, C., Muller-Karger, F.E., Taylor, C., Carder, K.L., Kelble, C., Johns, E., Heil, C.A. 2005. Red tide detection and tracing using MODIS fluorescence data: A regional example in SW Florida coastal waters. *Remote Sensing of Environment*, 97, 311-321. [published, refereed].
- Lee, Z. and Carder, K. L. 2005. Hyperspectral Remote Sensing. In: *Remote Sensing of Coastal Aquatic Environments*. Springer, the Netherlands. [published, refereed].
- Lee, Z., Cdarecki, M., Carder, K.L., David, C.O., Stramski, D. and Rhea, W. J. 2005. Diffuse attenuation coefficient of downwelling irradiance: an evaluation of remote sensing methods. *Jour. Geophys. Res.* VOL. 110, doi:10.1029/2004JC002573. [published, refereed].
- Lee, Z.P., K.L. Carder, and K.P. Du, 2004. Effects of molecular and particle scatterings on the model parameter for remote sensing, *Applied Optics* 43(25): 4957-2004. [published, refereed].
- Lee, Z.P. and K.L. Carder, 2004. Absorption spectrum of phytoplankton pigments derived from hyperspectral remote-sensing reflectance, *Remote Sens. Environ.* 89: 361-368. [published, refereed].
- Lenes, J.M., J.J. Walsh, D.B. Otis, and K.L. Carder, 2005. Iron fertilization of *Trichodesmium* off the west coast of Barbados: A one-dimensional numerical model. *Deep-Sea Res.* 52: 1021-1041. [published, refereed].
- Montes, M.A., Carder, K., Brown, E., Foy, R.J., 2005. Estimating phytoplankton biomass and PAR attenuation in coastal waters of Alaska using airborne remote sensing. *Remote Sensing of Environment*, [submitted].
- Neeley, M.B., E. Bartels, J.P. Cannizzaro, K.L. Carder, P. Coble, D. English, C. Heil, C. Hu, J. Hunt, J. Ivey, G. McRae, E. Mueller, E. Peebles, and K. Steidinger, 2004. Florida's black water event, In: *Harmful Algae 2002*, Steidinger et al., eds., Florida Marine Research Institute, Florida Institute of Oceanography, UNESCO, St. Petersburg, FL, pp. 377-379. [published, refereed].

Otis, D. B., K. L. Carder, D. C. English, and J. E. Ivey. (2004). CDOM transport from the Bahama Banks. *Coral Reefs*. [published, refereed].

Reinersman, P. N. and Carder, K. L. 2004. Hybrid numerical method for solution of the radiative transfer equation in one, two, or three dimensions. *Applied Optics*. Vol 43, No. 13. [published, refereed].

Warrior, H. and K.L. Carder, 2005. Production of hypersaline pools in shallow water by evaporation, *Geophys. Res. Lett.* 32, LXXXXX, doi: 10.1029/2005GL023078, 2005. [published, refereed].

Cannizzaro, J.P. 2004. Detection and quantification of *Karenia brevis* blooms on the west Florida shelf from remotely sensed ocean color imagery. University of South Florida, Master's thesis.

Carder, K.L., P. Reinersman, D.K. Costello, E. Kaltenbacher, J. Kloske, and M.Montes-Hugo, 2005. Optical Inspection of Ports and Harbors: Laser-Line Sensor Model Applications in 2 and 3 Dimensions, *SPIE Proceedings*, Orlando, March, 2005. [published].

Carder, K.L., Chen, F.R., Cannizzaro, J.P., Bailey, S.W., and Werdell, P. J. 2004. Toward a climate-quality chlorophyll dataset: Global validation of a semi-analytical chlorophyll-*a* algorithm. *Ocean Optics XVI*, Fremantle, Australia. [published].

Carder, K.L., Cannizzaro, J.P., Lee, Z. Ocean color algorithms in optically shallow waters: Limitations and improvements. *SPIE Optics and Photonics*, San Diego, CA. [published].

Chen, F. R., D. K. Costello and K. L. Carder. 2004. Hyper-spectral retrievals of bottom depth and albedo using a genetic optimization code. *Proceedings: Ocean Optics XVII, Fremantle Australia*. [published].

Farmer, A. S. 2005. Bottom Albedo Derivations Using Hyperspectral Spectrometry and Multispectral Video. University of South Florida, Master's thesis.

Malick, L.A. 2004. Light quality and phytoplankton viability. University of South Florida, Master's thesis.

Montes-Hugo, M.A. and K.L. Carder, 2005. Monte Carlo simulations as a tool to optimize target detection by AUV/ROV laser line scanners, *SPIE Proceedings*, Orlando, March, 2005.

Montes-Hugo, M.A., 2005. *Monte Carlo simulations as a tool to optimize target detection by AUV/ROV laser line scanners*, M.S. thesis, University of South Florida, Tampa, Florida.

Otis, D. B., K. L. Carder, D. C. English, J. E. Ivey, J. Patch, F. R. Chen, and H. Warrior, 2002, Using Seawifs Imagery And Optical Property Measurements To Investigate The Bahama Banks As A Source Of Gelbstoff To The Surrounding Deep Ocean. In *Ocean Optics XVI*, S. Ackleson and C. Trees (eds.), Office of Naval Res. CDROM, Arlington, VA, 6 p. [published]

Warrior, H. 2004. *Parameterization of the Light Models in Various General Ocean Circulation Models for Shallow Waters*, Ph.D. dissertation, Univ. of South Florida, Tampa, FL, 141 pp.